

# **Safety Data Sheet**

Issue Date: 23-Apr-2011 Revision Date: 07-May-2014 Version 1

# 1. IDENTIFICATION

**Product Identifier** 

Product Name Strike Force

Other means of identification

SDS # CARROLL-083

Product Code Z76

Recommended use of the chemical and restrictions on use
Recommended Use

Liquid cleaning agent.

Details of the supplier of the safety data sheet

**Supplier Address** 

Carroll Co. 2900 W. Kingsley Road Garland, TX 75041

**Emergency Telephone Number** 

Company Phone Number 1-800-527-5722

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

# 2. HAZARDS IDENTIFICATION

Appearance Clear light green liquid Physical State Liquid Odor Citrus

# Classification

Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

#### Signal Word Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage



# **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary Statements - Response**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Ethylene Glycol Monobutyl Ether	111-76-2	<1
Sodium metasilicate	6834-92-0	<1

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

# 4. FIRST-AID MEASURES

#### **First Aid Measures**

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

immediate medical advice/attention.

Skin Contact Take off contaminated clothing. Wash with soap and water. If irritation persists, seek

medical attention. Wash contaminated clothing before reuse.

**Inhalation** Remove to fresh air. Call a physician immediately.

**Ingestion** Do not induce vomiting. Drink large volumes of milk or water. Call a physician or poison

control center immediately. Never give anything by mouth to an unconscious person.

### Most important symptoms and effects

Symptoms In severe cases, burns, corneal damage, and blindness may occur. Contact will cause

irritation and redness to exposed areas. Long term overexposure may cause liver and kidney damage. Prolonged breathing of vapors may cause nausea, headache, weakness

and/or dizziness. Irritates the digestive tract.

#### Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# 5. FIRE-FIGHTING MEASURES

#### **Suitable Extinguishing Media**

Carbon dioxide (CO2). Dry chemical.

Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

Treat as alcohol fire.

Hazardous Combustion Products Carbon oxides. Nitrogen.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Use water spray to keep fire-exposed containers cool.

# 6. ACCIDENTAL RELEASE MEASURES

# Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Remove all sources of ignition.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Dike and contain spill.

Methods for Clean-Up Cover liquid spill with sand, earth or other non-combustible absorbent material. Sweep up

and shovel into suitable containers for disposal. Dispose of in accordance with federal,

state and local regulations.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Read and follow all

directions. Wash thoroughly after handling. Use personal protection recommended in

Section 8. Do not breathe dust/fume/gas/mist/vapors/spray.

## Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from extreme

temperatures. Keep away from heat, sparks, and flame. Keep away from food, drink and

animal feeding stuffs. Keep locked up and out of reach of children.

Incompatible Materials Acids. Oxidizers.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Ethylene Glycol Monobutyl Ether 111-76-2	TWA: 20 ppm	TWA: 50 ppm TWA: 240 mg/m³ (vacated) TWA: 25 ppm (vacated) TWA: 120 mg/m³ (vacated) S* S*	IDLH: 700 ppm TWA: 5 ppm TWA: 24 mg/m³
Sodium metasilicate 6834-92-0	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	-
Trade Secret	15 mg/m <sup>3</sup>	15 mg/m <sup>3</sup>	-
Trade Secret	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> (vacated) Ceiling: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup> Ceiling: 2 mg/m <sup>3</sup>

#### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits.

#### Individual protection measures, such as personal protective equipment

**Eye/Face Protection** Chemical splash goggles.

**Skin and Body Protection** Chemical resistant protective gloves.

**Respiratory Protection** Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations Wash hands before breaks and immediately after handling the product. Take off all

contaminated clothing and wash it before reuse.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear light green liquid Odor Citrus

Color Light green Odor Threshold Not determined

Property Values Remarks • Method

pH 13.25 ± 0.25

Melting Point/Freezing PointNot determinedBoiling Point/Boiling Range100 °C / 212 °F

Flash Point None Setaflash

**Evaporation Rate** Slower than water

Flammability (Solid, Gas) n/a-liquid
Upper Flammability Limits 10.6
Lower Flammability Limit 1.1

Vapor Pressure 25.5 mm Hg Vapor Density Heavier than air

Specific Gravity 1.020 (1=Water)

**Water Solubility** Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined **Oxidizing Properties** Not determined

# 10. STABILITY AND REACTIVITY

# Reactivity

Not reactive under normal conditions.

#### **Chemical Stability**

Stable under recommended storage conditions.

# Possibility of Hazardous Reactions

None under normal processing.

# **Conditions to Avoid**

Heat, flames and sparks.

# **Incompatible Materials**

Acids. Oxidizers.

# **Hazardous Decomposition Products**

Carbon oxides. Nitrogen.

# 11. TOXICOLOGICAL INFORMATION

# Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Avoid breathing vapors or mists.

**Ingestion** Do not taste or swallow.

# **Component Information**

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Trade Secret	= 3184 mg/kg ( Rat )	= 15440 mg/kg ( Rabbit )	-
Ethylene Glycol Monobutyl Ether 111-76-2	= 470 mg/kg (Rat)	= 2270 mg/kg (Rat) = 220 mg/kg ( Rabbit)	= 2.21 mg/L (Rat) 4 h = 450 ppm (Rat) 4 h
Sodium metasilicate 6834-92-0	= 600 mg/kg ( Rat )	-	-
Trade Secret	= 3100 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	-
Trade Secret	-	= 1350 mg/kg ( Rabbit )	-
Trade Secret	= 7200 mg/kg (Rat)	-	-
Trade Secret	= 1378 mg/kg (Rat)	> 2 g/kg (Rabbit)	-

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Carcinogenicity

Not classifiable as a human carcinogen.

Chemical Name	ACGIH	IARC	NTP	OSHA
Ethylene Glycol Monobutyl	A3	Group 3		
Ether				
111-76-2				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists)

A3 - Animal Carcinogen

IARC (International Agency for Research on Cancer)

Group 3 IARC components are "not classifiable as human carcinogens"

#### **Numerical measures of toxicity**

Not determined

# 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Trade Secret		11619: 96 h Pimephales		10: 48 h Daphnia magna
		promelas mg/L LC50 static		mg/L EC50
Ethylene Glycol Monobutyl		1490: 96 h Lepomis		1698 - 1940: 24 h Daphnia
Ether		macrochirus mg/L LC50		magna mg/L EC50 1000: 48
111-76-2		static 2950: 96 h Lepomis		h Daphnia magna mg/L
		macrochirus mg/L LC50		EC50
Sodium metasilicate		210: 96 h Brachydanio rerio		216: 96 h Daphnia magna
6834-92-0		mg/L LC50 semi-static 210:		mg/L EC50
		96 h Brachydanio rerio mg/L		
		LC50		
Trade Secret		1650: 48 h Leuciscus idus		
		mg/L LC50		
Trade Secret		45.4: 96 h Oncorhynchus		
		mykiss mg/L LC50 static		

# Persistence/Degradability

Not determined.

# **Bioaccumulation**

Not determined.

### **Mobility**

Chemical Name	Partition Coefficient
Ethylene Glycol Monobutyl Ether	0.81
111-76-2	

# **Other Adverse Effects**

Not determined

# 13. DISPOSAL CONSIDERATIONS

# **Waste Treatment Methods**

Disposal of Wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Disposal should be in accordance with applicable regional, national and local laws and

regulations.

# 14. TRANSPORT INFORMATION

**DOT** Not regulated

IATA Not regulated

**IMDG** Not regulated

# 15. REGULATORY INFORMATION

# **International Inventories**

TSCA Listed

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Chemical Name	CAS No	Weight-%	SARA 313 - Threshold Values %
Trade Secret -		0.1 - 1	1.0
Ethylene Glycol Monobutyl Ether - 111-76-2	111-76-2	<1	1.0

# **US State Regulations**

# U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Trade Secret	X		Х
Ethylene Glycol Monobutyl Ether 111-76-2	Х	X	Х
Trade Secret		Х	Х
Trade Secret	Х	X	X

# **16. OTHER INFORMATION**

NFPA Health Hazards

Not determined **Health Hazards** 

Flammability
Not determined
Flammability

Instability
Not determined
Physical Hazards

Special Hazards
Not determined
Personal Protection
B = Goggles, gloves

Issue Date:23-Apr-2011Revision Date:07-May-2014Revision Note:New format

#### Disclaimer

HMIS

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**