

NATIONAL CHEMICAL LABORATORIES, INC.

SAFETY DATA SHEET

Section 1 - Identification

Product Identifier ALL-IN-ONE™ Encapsulating Carpet Brush/Bonnet Cleaner

Other means of identification 0693

Recommended use Detergent.

Recommended restrictions For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

Health HazardsSerious eye damage/eye irritation2A

OSHA defined hazards Label Elements

Hazard Symbol



Not Classified.

Signal Word Warning

Hazard Statement Causes serious eye irritation.

Precautionary statement

Prevention Wash thoroughly after handling. Wear eye/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Store away from incompatible materials.

None known.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

Section 3 - Composition/Information on ingredients

Mixture

 Hazardous Components
 Ingredient Name
 CAS #
 %

 2-Butoxyethanol
 111-76-2
 5 - 10

 Sodium dioctyl sulfosuccinate
 577-11-7
 1 - 5

Section 4 - First-aid Measures

Inhalation Move to fresh air. Get medical attention if irritation persists.

Skin contact Wash with soap and water. Get medical attention if irritation persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Get medical attention if irritation persists.

Ingestion Rinse mouth. Get medical attention if irritation persists.

Most Important symptoms /effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Indication of immediate medical attention and special treatment

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

General Information Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5 - Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

media

During fire, gases hazardous to health may be formed.

Specific hazards arising from the chemical

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment

/instructions

Move containers from fire area if you can do it without risk.

General fire hazards No unusual fire or explosion hazards noted.

Specific Methods Use standard firefighting procedures and consider the hazards of other involved materials.

Section 6 - Accidental release measures

Personal precautions, protective equipment and emergency

procedures.

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For

personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This product is miscible in water.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in

vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual

contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions Avoid discharge into drains, water courses or onto the ground.

Section 7 - Handling and storage

Precautions for safe handling

Avoid contact with eyes. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good

industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Section 8 - Exposure control/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Tvpe Value Form

2-Butoxyethanol (CAS 111-76-2) 240 mg/m³, 50 ppm TWA

US. ACGIH Threshold Limit Values

Component Type Value Form

2-Butoxyethanol (CAS 111-76-2) TWA 20 ppm

US. NIOSH: Pocket Guide to Chemical Hazards

Components Type Value

2-Butoxyethanol (CAS 111-76-2) TWA 24 mg/m³, 5 ppm

US. ACGIH. BEIs. Biological Exposure Indices

Components Value Determinate Specimen Time 2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), Creatinine in urine

with hydrolysis

* - For sampling details, please see the source document.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

Can be absorbed though the skin. 2-Butoxyethanol (CAS 111-76-2)

US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

US.NIOSH: Pocket Guide to Chemical Hazards

Component Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

Can be absorbed though the skin. 2-Butoxyethanol (CAS 111-76-2)

IIC OCUA Table 7 1 A /20 CED 1010 1001

Sampling

02.02HA 19DIG 7-T-Y (52 CLK 12T0.T00)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Rhode Island Hazardous Substances Right-to-Know Act (R.I. Gen. Laws Section 28-21-1 et. seq.)

Components

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne

levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing. Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, considerations

and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

Section 9 - Physical and chemical properties

Appearance

Physical state Liquid.

Form Clear-Translucent liquid.

Color Straw.

Odor Universal Fresh. Not available. Odor threshold

рΗ 92

Melting point/freezing point Not available. Not available. Initial boinging point and

boiling range

Flash point None to boiling. **Evaporation rate** Not availiable. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Vapor pressure Similar to water. Vapor density Similar to water. Relative density 1.01 ± 0.01 Relative density temperature 75 °F (23.9 °C) Solubilities (water) Completely soluble. Partition Coefficient n-

octanol/water

Not available

Auto-ignition temperature Not Available **Decomposition temperature** Not Available Viscosity < 10 cSt **Viscosity Temperature** 75 °F (23.9 °C)

Section 10 - Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions.

Possiblity of hazardous reactions No dangerous reaction known under conditions of normal use.

Conditions to Avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous Decomposition

Products

No hazardous decomposition products are known.

Section 11 - Toxicological information

Information on likely routes of exposure

Ingestion Expected to be a low ingestion hazard.

No adverse effects due to inhalation are expected. Inhalation Skin contact No adverse effects due to skin contact are expected.

Eve contact Causes serious eve irritation.

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.

Information on toxicological effects.

Acute toxicity Not expected to be acutely toxic.

Components Code Species Results Level Type 2-Butoxyethanol (CAS 111-76-2) LD50 Dermal Rahhit 400 mg/kg Acute Acute Inhalation LC50 Mouse 700 ppm, 7 hours Acute Inhalation LC50 Rat 450 mg/l, 4 hrs Acute Oral LD50 Guinea pig 1.2 g/kg Acute Oral LD50 Mouse 1519 mg/kg LD50 Oral Rabbit 0.32 g/kg Acute LD50 560 mg/kg Acute Oral Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/ eye

irritation

Causes serious eye irritation.

Respiratory sensitization This product is not expected to cause respiratory sensitization. Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2) Not classifiable as to carcinogenicity to humans.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not classified.

Chronic effects Prolonged inhalation may be harmful.

Section 12 - Ecological Information

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or **Ecotoxicity**

frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available. Partition coefficient n-octanol / water log (Kow)

> Components Results 2-Butoxyethanol (CAS 111-76-2) 0.83

Mobility in soil No data available. Mobility in general No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine

disruption, global warming potential) are expected from this component.

Section 13 - Disposal considerations

Disposal instructions Dispose in accordance with applicable federal, state, and local regulations.

Local disposal regulations Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

Section 14 - Transport information

DOT Not regulated as dangerous goods. IATA Not regulated as dangerous goods. **IMDG** Not regulated as dangerous goods.

Transportation in bulk according to Annex II of

MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

Section 15 - Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D) Not regulated. US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050) Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result LISTED 2-Butoxyethanol (CAS 111-76-2)

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard

Delayed Hazard No Fire Hazard Nο Pressure Hazard Nο Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting)

CAS# Chemical name % by wt. 111-76-2 2-Butoxyethanol 5 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List Not regulated. Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated.

Safe Drinking Water Act (SDWA) Not regulated. Food and Drug Administration (FDA) Not regulated.

US state regulations

US.Massachusetts RTK - Substance List Components

2-Butoxyethanol (CAS 111-76-2)

US.New Jersey Worker and Community Right-to-Know Act Components

2-Butoxyethanol (CAS 111-76-2)

US.Pennsylvania RTK - Hazardous Substances Components

2-Butoxyethanol (CAS 111-76-2)

US.Rhode Island RTK Components

2-Butoxyethanol (CAS 111-76-2)

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to expose you to any chemicals currently listed as carcinogens or

reproductive toxins.

International Inventories Country(s) or region

Country(s) or region	Inventory Name	On Inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notifed Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes
Unites States Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

Section 16 - Other information, including date of preparation or last version

Revision date 1/17/2021

^{*}A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Version # HMIS Hazard Codes Disclaimer 02

Health 1 Flammability 0 Physical Hazard 0 PPE B

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.