

# NATIONAL CHEMICAL LABORATORIES, INC.

## **SAFETY DATA SHEET**

#### **Section 1 - Identification**

Product Identifier CYCLONE Intensive Ceramic Tile / Grout Cleaner

Other means of identification 2516

Recommended use Alkaline cleaner.

**Recommended restrictions** For commercial and industrial use only.

Manufacturer / Importer / Supplier / Distributor Information

Company NameNational Chemical Laboratories of PA, Inc.Address401 N. 10th Street - Philadelphia, PA 19123

Telephone 1 (215) 922-1200
Supplier Email info@nclonline.com
Contact CHEM-TEL
Emergency Phone 1 (800) 255-3924

## Section 2 - Hazard(s) Identification

SDS Hazards and Warnings are based on the undiluted product. Refer to diluted SDS for Ready-To-Use Hazards and Warnings.

Classification Category

Physical Hazards Not Classified

**Health Hazards** Serious eye damage/eye irritation 1

Skin corrosion/irritation 1

Specific target organ toxicity, single exposure 3 TARGET ORGAN: respiratory tract

irritatio

OSHA defined hazards

**Label Elements** 

**Hazard Symbol** 

Not Classified.





Signal Word Danger

Hazard Statement Causes severe skin burns and eye damage. May cause respiratory irritation.

**Precautionary statement** 

**Prevention** Do not breathe mist or vapor. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands

thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

**Response** If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower. Wash contaminated clothing before reuse. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor.

Storage Store locked up

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

## **Section 3 - Composition/Information on ingredients**

Mixture

Hazardous ComponentsIngredient NameCAS #%2-Butoxyethanol111-76-25 - 10Sodium dimethylbenzenesulfonate1300-72-71 - 5

Sodium Hydroxide 1310-73-2 1 - 5
4-Nonylphenol, branched, ethoxylated 127087-87-0 1 - 5

#### **Section 4 - First-aid Measures**

Inhalation If respiratory irritation or distress occurs, remove victim to fresh air. If breathing is difficult, give oxygen. If breathing stops,

apply artificial respiration. CONSULT A PHYSICIAN.

Skin contact Remove contaminated clothing and shoes. Wash off immediately with plenty of water for at least 15 minutes. Get medical

attention if irritation persists. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 20 minutes, occasionally lifting the upper and lower eyelids. Check and

remove contact lenses. Continue to rinse for at least 10 minutes.

Ingestion Rinse mouth thoroughly with water. DO NOT induce vomiting. If victim is fully conscious, give a cupful of water. Never give

anything by mouth to an unconscious person. If vomiting occurs, keep head lower than the hips to help prevent aspiration. Call

a physician or poison control center immediately.

Most Important symptoms /effects, acute and delayed

Causes skin and eye burns.

Indication of immediate medical attention and special treatment

Treat symptomatically.

**General Information** Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## **Section 5 - Fire-fighting measures**

Suitable extinguishing media Unsuitable extinguishing

Carbon dioxide, alcohol-resistant foam, dry chemical, water spray, or water fog.

Not available.

media

Specific hazards arising from

the chemical

None known.

Special protective equipment

and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire-fighting equipment /instructions

General fire hazards

This product is not flammable or combustible

#### Section 6 - Accidental release measures

Personal precautions, protective

equipment and emergency procedures.

Methods and materials for containment and cleaning up Isolate area. Keep unnecessary personnel away. Use personal protection as recommended in Section 8 of the SDS.

Move containers from fire area if you can do it without risk. Use water spray to keep fire-exposed containers cool.

SMALL SPILLAGE: Absorb spillage with suitable absorbent material. Absorb spill with vermiculite or other inert material,

then place in a container for chemical waste. After removal flush contaminated area thoroughly with water. LARGE SPILLS: Absorb spill with vermiculite or other inert material, then place in a container for chemical waste. After

removal flush contaminated area thoroughly with water.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

#### **Section 7 - Handling and storage**

Precautions for safe handling

Do not get in eyes, on skin, or on clothing. Do not breathe mist or vapor. Do not taste or swallow. Use with adequate ventilation. Wash thoroughly after handling. Use Personal Protective Equipment recommended in section 8 of the SDS.

Conditions for safe storage, including any incompatibilities Store away from incompatible materials. Keep container closed.

#### Section 8 - Exposure control/personal protection

#### Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Value Form Type

2-Butoxyethanol (CAS 111-76-2) TWA 240 mg/m<sup>3</sup>, 50 ppm

Sodium Hydroxide (CAS 1310-73-2) TWA 2 mg/m<sup>3</sup>

**US. ACGIH Threshold Limit Values** 

Component Type Value Form

Sodium Hydroxide (CAS 1310-73-2) Ceiling  $2 \text{ mg/m}^3$ 2-Butoxyethanol (CAS 111-76-2) TWA 20 ppm

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Value Components Type

2-Butoxyethanol (CAS 111-76-2) TWA 24 mg/m<sup>3</sup>, 5 ppm

Sodium Hydroxide (CAS 1310-73-2) Ceiling 2 mg/m<sup>3</sup>

US. ACGIH. BEIs. Biological Exposure Indices Sampling Components Time Value Determinate Specimen 2-Butoxyethanol (CAS 111-76-2) 200 mg/g Butoxyacetic acid (BAA), Creatinine in urine

with hydrolysis

\* - For sampling details, please see the source document.

**Exposure** guidelines Use personal protective equipment as required. Keep working clothes separately.

US. California Code of Regulations, Title 8, Section 5155. Airborne Contaminants

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Minnesota Hazardous Substances List (Minn. Rules 5206.0400).

Components

Exposure

2-Butoxyethanol (CAS 111-76-2) Skin designation applies.

**US.NIOSH: Pocket Guide to Chemical Hazards** 

Exposure

Component

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.OSHA Table Z-1-A (29 CFR 1910.100)

Components Exposure

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

US.Tennesee. OELs Occupational Exposure Limkits, Table Z1A

2-Butoxyethanol (CAS 111-76-2) Can be absorbed though the skin.

Appropriate engineering Provide adequate ventilation and minimize the risk of inhalation of vapors and mists. Provide easy access to water

controls supply and eye wash facilities.

Individual protection measures, such as personal protective equipment

Eve/face protection If use of product risks exposure to contact, wear safety glasses with side shields.

Skin protection

Hand protection Impervious gloves are recommended for prolonged use.

Other If use of product risk exposure to contact, wear suitable protective clothing.

Use a respirator when local exhaust or ventilation is not adequate to keep exposures below the OEL. In a confined space a **Respiratory protection** 

supplied respirator may be required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, considerations

and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

## **Section 9 - Physical and chemical properties**

**Appearance** Clear. **Physical state** Liquid. Form Liquid. Color Green. Odor Citrus. Odor threshold Not available.

Melting point/freezing point Not available. 212 °F (100 °C)

Initial boinging point and boiling range

Flash point

рΗ

> 212.0 °F (> 100.0 °C)

**Evaporation rate** Not available. Flammability (solid, gas) Not applicable. Upper/lower flammability or explosive limits Flammability limit - lower (%) Not available. Flammability limit - upper (%) Not available. Explosive limit - lower (%) Not available Explosive limit - upper (%) Not available. Vapor pressure Similar to water.

Vapor density Similar to water. Relative density  $1.05 \pm 0.01$ Relative density temperature 75 °F (23.9 °C) Solubilities (water) 100 % Soluble. Partition Coefficient n-Not available.

octanol/water

**Viscosity Temperature** 

**Auto-ignition temperature** Not available. **Decomposition temperature** Not available. Viscosity < 10 cP

## **Section 10 - Stability and reactivity**

Reactivity Not available.

Chemical stability Stable at normal conditions.

75 °F (23.9 °C)

Possibility of hazardous reactions Hazardous polymerization does not occur.

Conditions to Avoid Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous Decomposition Products Carbon monoxide. Carbon dioxide.

# Section 11 - Toxicological information

**Ingestion** May cause burns of the gastrointestinal tract if swallowed.

**Inhalation** Irritating to respiratory system.

**Skin contact** Causes skin burns.

**Eye contact** Causes serious eye damage.

Symptoms related to the physical, chemical and toxicological characteristics

Causes skin and eye burns. Causes respiratory tract irritation. Symptoms may be delayed.

#### Information on toxicological effects.

Information on likely routes of exposure

Acute toxicity May cause burns.

Components	Level	Type	Code	Species	Results
2-Butoxyethanol (CAS 111-76-2)	Acute	Dermal	LD50	Rabbit	400 mg/kg
	Acute	Inhalation	LC50	Mouse	700 ppm, 7 hours
	Acute	Inhalation	LC50	Rat	450 mg/l, 4 hrs
	Acute	Oral	LD50	Guinea pig	1.2 g/kg
	Acute	Oral	LD50	Mouse	1519 mg/kg
	Acute	Oral	LD50	Rabbit	0.32 g/kg
	Acute	Oral	LD50	Rat	560 mg/kg
Sodium dimethylbenzenesulfonate (CAS 1300-72-7)	Acute	Dermal	LD50	Rabbit	>2000 mg/kg
	Acute	Oral	LD50	Rat	7200 mg/kg
Sodium Hydroxide (CAS 1310-73-2)	Acute	Oral	LD50	Rabbit	500 mg/kg

**Skin corrosion/irritation** Causes skin burns.

Serious eye damage/ eye

irritation

Causes serious eye damage.

Respiratory sensitizationNot classified.Skin sensitizationNot classified.Germ cell mutagenicityNot classified.

IARC Monographs. Overall Evaluation of Carcinogenicity

Component Result Comment

2-Butoxyethanol (CAS 111-76-2) 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity Not classified.

Specific target organ toxicity -

single exposure

Irritating to respiratory system.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard

Not classified.

Aspiration nazara Not classified

**Chronic effects** 2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects

have not been observed in humans.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not been observed in humans.

## **Section 12 - Ecological Information**

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms.

Component(s)

Nonylphenol, ethoxylated, 9016-45-9

Aquatic

Species Level Type Code **Test Results** 65 mg/l, 48 hours Acute Crustacea EC50 Daphnia magna Crustacea EC50 Water flea (Daphnia magna) 12.2 mg/l, 48 hours Fish LC50 Bluegill (lepomis macrochirus) 1 - 1.8 mg/l 96 hours

2-Butoxyethanol, 111-76-2

Aquatic

Acute Fish LC50 inland silverside (Menidia beryllina) 1250 mg/l, 96 hours

Persistence and degradability The product is expected to be biodegradable.

Bioaccumulative potential Not known.

Partition coefficient n-octanol / water log (Kow)

Components Results

4-Nonylphenol, branched, ethoxylated (CAS 127087-87-0) 2.1 - 3.4 (Calculated)

2-Butoxyethanol (CAS 111-76-2) 0.83

Mobility in soil Not available.

**Mobility in general** The product is water soluble and may spread in water systems.

Other adverse effects None known.

#### **Section 13 - Disposal considerations**

**Disposal instructions** Dispose in accordance with applicable federal, state, and local regulations.

**Local disposal regulations** Dispose of in accordance with local regulations.

Hazardous waste code Waste codes should be assigned by the user based on the application for which the product was used.

Waste from residues / unused

products

Dispose in accordance with all applicable regulations.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## **Section 14 - Transport information**

DOT

UN number UN1824

Proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packing group II

Special precautions for user Read :

Read safety instructions, SDS and emergency procedures before handling.

Special provisions B2, IB2, N34, T7, TP2

Packaging exemption154Packaging non bulk202Packaging bulk242

IATA

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group II
Environmental hazards No.
ERG Code 8L

Special precautions for user

**Other Information** 

Read safety instructions, SDS and emergency procedures before handling.

**IMDG** 

UN number UN1824

UN proper shipping name SODIUM HYDROXIDE SOLUTION

Transport hazard class(es) 8
Packaging group II
Environmental hazards No.
Marine pollutant

Marine pollutant

mS F-A, S-B

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transportation in bulk according to Annex II of MARPOL 73/78 and IBC Code

This substance/mixture is not intended to be transported in bulk.

#### **Section 15 - Regulatory Information**

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR707, Subpt. D)

Not regulated.

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4

Components Result
Sodium Hydroxide (CAS 1310-73-2) LISTED
2-Butoxyethanol (CAS 111-76-2) LISTED

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard Categories Immediate Hazard Yes
Delayed Hazard No

Fire Hazard No
Pressure Hazard No
Reactivity Hazard No

SARA 302 Extremely hazardous substance Not listed.
SARA 311/312 Hazardous chemical Yes

SARA 313 (TRI reporting) Not regulated.

 Chemical name
 CAS #
 % by wt.

 2-Butoxyethanol
 111-76-2
 5 - 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HSPs) List

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.
Food and Drug Administration (FDA) Not regulated.

**US state regulations** 

US.Massachusetts RTK - Substance List Components

Sodium Hydroxide (CAS 1310-73-2) 2-Butoxyethanol (CAS 111-76-2)

US.New Jersey Worker and Community Right-to-Know Act Components

Sodium Hydroxide (CAS 1310-73-2) 2-Butoxyethanol (CAS 111-76-2)

US.Pennsylvania RTK - Hazardous Substances Component

Sodium Hydroxide (CAS 1310-73-2) 2-Butoxyethanol (CAS 111-76-2)

US.Rhode Island RTK Components

Sodium Hydroxide (CAS 1310-73-2) 2-Butoxyethanol (CAS 111-76-2)

**International Inventories** 

**Inventory Name** On Inventory (yes/no)\* Country(s) or region Australia Australian Inventory of Chemical Substances (AICS) Nο Canada **Domestic Substances List (DSL)** No Canada Non-Domestic Substances List (NDSL) Nο China Inventory of Existing Chemical Substances in China (IECSC) Yes Europe **European Inventory of Existing Commercial Chemical Substances (EINECS)** Nο **European List of Notifed Chemical Substances (ELINCS)** Europe Nο Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea **Existing Chemicals List (ECL)** Nο **New Zealand New Zealand Inventory** Yes **Philippines Philippine Inventory of Chemicals and Chemical Substances** Yes Unites States Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

## Section 16 - Other information, including date of preparation or last version

 Revision date
 1/17/2021

 Version #
 02

HMIS Hazard Codes Health 3 Flammability 0 Physical Hazard 0 PPE 0

**Disclaimer**The information contained herein was obtained from current and reliable sources. However, the data is

The information contained herein was obtained from current and reliable sources. However, the data is provided without any warranty, expressed or implied, regarding its correctness or accuracy. Since the conditions for use, handling, storage and disposal of this product are beyond the manufacturer's control, it is the user's responsibility both to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense arising from the product's improper use. No warranty, expressed or implied, regarding the product described herein shall be created by or inferred from any statement or omission in this SDS. Various government agencies may have specific regulations concerning the transportation, handling, storage, use or disposal of this product which may not be reflected in this SDS. The user should review these regulations to ensure full compliance.

<sup>\*</sup>A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

<sup>\*</sup>A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).